

ਟੈਂਡਰ ਸੁਚਨਾ

ਭਾਰਤ ਦੇ ਰਾਸ਼ਟਰਪਤੀ ਦੀ ਤਰਫ਼ ਤੋਂ ਪ੍ਰਵਰਤ ਮੰਡਲ ਇੰਜੀਨੀਅਰ/ਚੋਬੀਂ ਦੁਵਾਰਾ ਹੇਠਾਂ ਲਿਖੀ ਈ-ਟੈਂਡਰ ਨੰਬਰ ਜਿਨ੍ਹਾਂ ਦੇ ਬੰਦ ਹੋਣ ਦੀ ਮਿਤੀ ਤੇ ਸਮਾਂ ਹਰੇਕ ਸਾਮਾਂ ਲਿਖਿਆ ਹੈ। ਜੋ ਉਸੀ ਦਿਨ **16:00 ਵਜੇ** ਤਕ ਪ੍ਰਾਪਤ ਕੀਤੇ ਜਾਣਗੇ। ਹੇਠਾਂ ਲਿਖੇ ਟੈਂਡਰ ਨੰਬਰ ਦੇ ਅੰਤਰਗਤ ਮੰਗ ਕੀਤੇ ਜਾਂਦੇ ਹਨ। ਟੈਂਡਰ ਦੀ ਕੀਮਤ ਅਤੇ ਬਿਆਨਾ ਰਾਸ਼ੀ ਦਾ ਭੁਗਤਾਨ ਟੈਂਡਰਦਾਤਾ ਦੁਵਾਰਾ ਕੇਵਲ IREPS ਪੋਰਟਲ ਉੱਤੇ ਉਪਲਬਧ ਨੇਟ ਬੈਂਕਿੰਗ, ਡੇਬਿਟ ਕਾਰਡ, ਕ੍ਰੇਡਿਟ ਕਾਰਡ ਆਦਿ ਦੇ ਦੁਵਾਰਾ ਤੋਂ ਆਨਲਾਈਨ ਭੁਗਤਾਨ ਕਰਨਾ ਹੋਵੇਗਾ। ਡਿਮਾਡ ਡਰਾਫਟ, ਬੈਂਕਰ ਚੈਕ, ਡਿਪੋਜਿਟ ਰਸੀਦ ਆਦਿ ਸਵੀਕਾਰ ਨਹੀਂ ਹੋਣਗੇ। ਟੈਂਡਰ ਤੋਂ ਸਬੰਧਿਤ ਹੋਰ ਜਾਣਕਾਰੀ ਵੈਬਸਾਈਟ www.ireps.gov.in ਉੱਤੇ ਦੇਖੋ।

ਟੈਂਡਰ ਨੰਬਰ	308-DRM-MB-23-24 26.03.2024	309-DRM-MB-23-24 26.03.2024	310-DRM-MB-23-24 26.03.2024	311-DRM-MB-23-24 26.03.2024	312-DRM-MB-23-24 26.03.2024	313-DRM-MB-23-24 26.03.2024	314-DRM-MB-23-24 26.03.2024
ਕੰਮ ਦਾ ਨਾਮ	Elimination of level crossing no. 10/C by providing LHS by pushing method on MB-GZB in the section of ADEN/GJL.	Elimination of level crossing no. 11/C by providing LHS by pushing method on MB-GZB in the section of ADEN/GJL.	Elimination of level crossing no. 13/C by providing LHS by pushing method on MB-GZB in the section of ADEN/GJL.	Elimination of level crossing no. 19/C by providing LHS by pushing method on MB-GZB in the section of ADEN/GJL.	Elimination of level crossing no. 22/C by providing LHS by pushing method on MB-GZB in the section of ADEN/GJL.	Elimination of level crossing no. 31/C by providing LHS by pushing method on MB-GZB in the section of ADEN/GJL.	Elimination of level crossing no. 41A/C by providing LHS by pushing method on MB-GZB in the section of ADEN/GJL.
ਟੈਂਡਰ ਕਲੋਸਿੰਗ ਮਿਤੀ	30.04.2024	30.04.2024	30.04.2024	30.04.2024	30.04.2024	30.04.2024	30.04.2024
ਟੈਂਡਰ ਕਲੋਸਿੰਗ ਸਮਾਂ	16:00 ਵਜੇ						
ਅਨੁਮਾਨਿਤ ਲਗਤ (ਰੁ.):	4,09,35,820.87	4,09,35,820.87	4,09,35,820.87	4,09,35,820.87	4,09,35,820.87	4,09,35,820.87	4,04,71,720.72
ਬਿਆਨਾ ਰਾਸ਼ੀ (ਰੁ.):	3,54,700.00	3,54,700.00	3,54,700.00	3,54,700.00	3,54,700.00	3,54,700.00	3,52,400.00
ਕੰਮ ਪੁਰਾ ਕਰਨ ਦਾ ਸਮਾਂ	12 ਮਹੀਨੇ						
ਬਿਡਿੰਗ ਸ਼ੁਰੂ ਮਿਤੀ	16.04.2024	16.04.2024	16.04.2024	16.04.2024	16.04.2024	16.04.2024	16.04.2024